

AN ISO 9001:2015 COMPANY





GROW CONTROL is a research-based power electronics organization that blends technology, innovation, and engineering to transform concepts into world class products and solutions.

GROW CONTROL MilGrade Frequency Converter is a specialized electronic device designed to convert electrical power from one frequency to another, typically for military applications. It operates using solid-state technology, which allows for reliable performance with fewer moving parts compared to traditional rotary converters.

GROW CONTROL MilGrade Frequency Converter offers a high-performance solution for a variety of applications requiring efficient and reliable frequency conversion. Utilizing **indigenous technology**, these converters are engineered to meet the demands of industrial, research, and defense sectors, delivering exceptional performance and versatility.

Features

- Main feature of static frequency converter is which converts 28V DC into 1-Ph, 115V, 400Hz AC or 3-Ph, 200VAC, 400Hz.
- **Robustness:** Designed to withstand harsh environments, Mil grade SFCs are built to meet military standards for durability, temperature ranges, shock, and vibration.
- **Efficiency:** These converters typically offer medium efficiency and low distortion, ensuring that the power quality meets stringent requirements.
- **Compact Design:** Solid-state technology allows for a smaller footprint, which is advantageous in space-constrained military applications.
- **Versatility:** They can be used in various applications, from powering radar and communication systems to providing reliable energy for testing and maintenance of military equipment.

Key Advantages

1. Indigenous Technology:

Developed and manufactured in India, tailored to meet local industry needs with accessible support and customization options.



2. Versatile Applications:

Ideal for a wide range of applications, from industrial machinery to renewable energy systems, providing flexibility in usage.

3. High Reliability:

Engineered for durability and stability, ensuring consistent performance in demanding operational environments.

4. Energy Efficient:

Low power losses translate to reduced operational costs and enhanced sustainability, making it an environmentally friendly choice.

5. Comprehensive Customization:

GROW CONTROL offers tailored solutions to meet specific operational requirements, ensuring optimal functionality for every application.

Applications

1. Industrial Drives:

Provides precise frequency control for motor drives, improving efficiency and performance in manufacturing processes.

2. Renewable Energy Systems:

Essential for wind and solar applications, enabling the integration of renewable energy sources into the grid.

3. **Telecommunications:**

Supports frequency conversion in telecom systems, ensuring reliable transmission and reception of signals.

4. **Defense Systems:**

Used in various defense applications requiring reliable frequency conversion for radar, communication, and electronic warfare systems.

5. **Aerospace Applications:**

Ideal for converting frequencies in aerospace systems, enhancing operational reliability and efficiency.

6. Research and Development:

Supports experimental setups in research laboratories requiring precise frequency control and conversion.



Customization Options

GROW CONTROL provides a variety of customization options for the MilGrade Static Frequency Converter to accommodate specific application requirements:

- Custom Output Frequency Ranges
- Enhanced Control Algorithms for Specific Applications
- Integrated Monitoring Systems for real-time feedback
- Optimized Cooling Solutions (Air or liquid)
- Modular Configurations for Scalable Power Ratings
- Additional Communication Interfaces for enhanced integration

Our engineering team works closely with clients to deliver tailored solutions that precisely fit their operational needs, ensuring optimal performance and compatibility.

Why Choose GROW CONTROL?

- **Indigenous Expertise**: Tailored to meet Indian industry standards with local support for customization and maintenance.
- **Reliable and Efficient**: Designed for stability and high efficiency, ensuring consistent power delivery for critical applications.
- Low Maintenance Requirements: Durable design reduces wear and tear, minimizing downtime and maintenance costs.
- **Energy Efficient and Cost-Effective**: Low energy losses lead to cost savings and enhanced operational efficiency.
- **Customer Support**: From initial design consultation to installation and ongoing support, **GROW CONTROL** offers a full range of services.

Certifications

- MIL-STD-810 E/F/G Environmental Testing Standards
- MIL-STD-461 E/F/G— Electromagnetic Compatibility Standards
- **MIL-STD-704** D Power Supply Compatibility Test Standards
- EN 55022 EMI Compliance
- ISO 9001:2015 Quality Management Systems



Technical Specification

Model No	GCPT13SI	GCPT11SI
Nominal Input Range	(18-36) VDC	(18-36) VDC
Input Voltage (nominal)	28 VDC	28 VDC
Output Voltage	115 VAC (L-N)	115 VAC
	200 VAC (L-L)	& 26VAC
Output frequency	400 Hz±1%	400 Hz±1%
Output Waveform	3-Phase with Neutral	3-Phase with Neutral
Output Power	1.1kVA	1kVA
Operational temperature of unit	-20°C to +55°C	-40°C to +71°C
Storage temperature of unit	-40°C to +71°C	-55°C to +85°C
Maximum dimensions of the static	350mm (D) x245mm (W)	305 mm x 216 mm x 104
inverter	x210mm (H)±1mm	mm (±1.5mm)
Weight of inverter	≤12 Kgs	≤7 Kgs
Total Harmonic Distortion	≤ 5%	≤ 5%
Type of unit	Fully Indigenous Discrete	Fully Indigenous Discrete
	Level System	Level System



OUR CLIENTS



P-5/1/A, Road No. 13, IDA Nacharam, Hyderabad - 500 076, Telangana, India.

Ph: +91-40-27175591, Fax: +91-40-27175386

